





(43) International Publication Date 14 August 2003 (14.08.2003)

(10) International Publication Number WO 03/066589 A1

(51) International Patent Classification7: C07D 211/58, 401/04, 405/12, A61K 31/451, 31/4525, 31/5377, 31/497, A61P 25/22, 25/24

- (21) International Application Number: PCT/GB03/00499
- (22) International Filing Date: 5 February 2003 (05.02.2003)
- (25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

0203021.1

8 February 2002 (08.02.2002)

GB 0203019.5 8 February 2002 (08.02.2002) GB

(71) Applicant (for all designated States except US): GLAXO GROUP LIMITED [GB/GB]; Glaxo Wellcome House, Berkeley Avenue, Greenford, Middlesex UB6 0NN (GB).

- (72) Inventors; and
- (75) Inventors/Applicants (for US only): ALVARO, Giuseppe [IT/IT]; GlaxoSmithKline SpA, Via Alessandro Fleming

2, I-37135 Verona (IT). PAIO, Alfredo [IT/IT]; GlaxoSmithKline SpA, Via Alessandro Fleming 2, I-37135 Verona (IT). PONTIROLI, Alessandro [IT/IT]; GlaxoSmithKline SpA, Via Alessandro Fleming 2, I-37135 Verona (IT). SPADA, Simone [IT/IT]; GlaxoSmithKline SpA, Via Alessandro Fleming 2, I-37135 Verona (IT). TRANQUILLINI, Maria, Elvira [IT/IT]; GlaxoSmithKline SpA, Via Alessandro Fleming 2, I-37135 Verona (IT).

- (74) Agent: THOMPSON, Clive, Beresford; CN925.1, 980 Great West Road, Brentford, Middlesex TW7 9GS (GB).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),

[Continued on next page]

(54) Title: PIPERIDYLCARBOXAMIDE DERIVATIVES AND THEIR USE IN THE TREATMENT OF TACHYKINIM-MEDI-ATED DISEASES

$$\begin{array}{c} R5 \\ R6 \\ R2 \\ R3 \end{array}$$

(57) Abstract: The present invention relates to piperidine derivatives of formula (I) wherein R represents halogen or C₁₋₄alkyl; R₁ $represents\ hydrogen\ or\ C_{1\text{--}4}\ alkyl;\ R_2\ represents\ hydrogen\ ,\ C_{1\text{--}4}\ alkyl\ or\ R_2\ together\ with\ R_3\ represents\ C_{3\text{--}7}\ cycloalkyl;\ R_3\ represents\ hydrogen\ ,\ C_{1\text{--}4}\ alkyl\ or\ R_2\ together\ with\ R_3\ represents\ C_{3\text{--}7}\ cycloalkyl;\ R_3\ represents\ hydrogen\ ,\ C_{1\text{--}4}\ alkyl\ or\ R_2\ together\ with\ R_3\ represents\ hydrogen\ ,\ C_{3\text{--}7}\ cycloalkyl\ ,\ R_3\ represents\ hydrogen\ ,\ R_3\ represents\ ,\ R_3\ represents\ hydrogen\ ,\ R_3\ represents\ h$ hydrogen, C14 alkyl, C3.7 cycloalkyl or C3.6 alkenyl; or R1 and R3 together with nitrogen and carbon atom to which they are attached respectively represent a 5 to 6 membered heterocyclic group; R₄ represents trifluoromethyl, C₁₋₄ alkyl, C₁₋₄ alkoxy, trifluoromethoxy or halogen; R is hydrogen and R is NR7R8 or R5 is NR8R9 and R6 is hydrogen; R7 represents hydrogen or C14 alkyl or R7 and R₈ together with nitrogen to which they are attached are a saturated 5 to 7 membered heterocyclic group containing oxygen; R₈ represents hydrogen, phenyl, C₃₋₇cycloalkyl, (CH2)pC(O)NR₁₀R₁₁, a saturated 5 to 7 membered heterocyclic group containing 1 to 3 heteroatoms selected from oxygen, sulphur and nitrogen and optionally substituted by C1-4 alkyl, S(O)2C1-4 alkyl or C(O) C1-4 alkyl, a 5 membered heteroaryl group containing 1 to 3 heteroatoms selected from oxygen, sulphur and nitrogen and optionally substituted by C_{1.4} alkyl S(O)₂C_{1.4} alkyl or C(O) C_{1.4} alkyl or R₈ represents a 6 membered heteroaryl group containing 1 to 3 nitrogen atoms and optionally substituted by C1.4alkyl, S(O)2C1.4 alkyl or C(O) C1.4alkyl; or R8 is a C1.6 alkyl group optionally substituted by one or two groups selected from fluorine, phenyl(optionally substituted by C_{1-4} alkyl, C(O) C_{1-4} alkyl or halogen), =0, C_{3-7} cycloalkyl, hydroxy, amino, dimethylamino, aminocarbonyl, C1.4alkoxy or trifluoromethyl; R9 is hydrogen, C1.4alkyl or R9 and R8 together with nitrogen to which they are attached are a 5 to 7 membered heterocyclic group optionally containing another heroatom selected from oxygen, sulphur and nitrogen and optionally substituted by one or two groups selected from C1.4 alkyl, =O, S(O)2C1.4 alkyl, C(O) C3.7cycloalkyl or C(O) C1.4 alkyl; R10 and R11 are independently hydrogen or C1.4 alkyl group; X represents a nitrogen atom and Y is CH or X represents CH and Y is nitrogen;m is zero or an integer from 1 to 3; n is an integer from 1 to 3; p is zero, 1 or 2; and pharmaceutically acceptable salts and solvates thereof; the process for their preparation and their use in the treatment of conditions mediated by tachykinins.